

# Alpine Linux

Distribution légère pouvant tourner en mémoire.

- [Installation d'Alpine Linux](#)
- [Post configuration](#)
- [MariaDB](#)

# Installation d'Alpine Linux

Récupérer l'ISO sur le site d'Alpine :

<https://www.alpinelinux.org/downloads/>

Je prends par habitude la version standard

## Installation

```
localhost:~# setup-  
setup-acf          setup-bootable      setup-hostname      setup-mta           setup-timezone  
setup-alpine       setup-disk          setup-interfaces    setup-ntp           setup-xen-dom0  
setup-apkcache     setup-dns           setup-keymap        setup-proxy         setup-xorg-base  
setup-apkrepos     setup-gparted-desktop setup-lbu           setup-sshd
```

L'installation se fait via la commande **setup-alpine**

```
localhost:~# setup-alpine
```

## Choix du clavier

Available keyboard layouts:

```
af  at  be  by  cn  dz  fi  ge  hu  in  it  kr  lk  md  mm  nl  pl  ru  sy  tr  uz  
al  az  bg  ca  cz  ee  fo  gh  id  iq  jp  kz  lt  me  mt  no  pt  se  th  tw  vn  
am  ba  br  ch  de  epo  fr  gr  ie  ir  ke  la  lv  mk  my  ph  ro  si  tj  ua  
ara  bd  brai  cm  dk  es  gb  hr  il  is  kg  latam  ma  ml  ng  pk  rs  sk  tm  us
```

Select keyboard layout [none]: fr

Available variants: fr-afnor fr-azerty fr-bepo fr-bepo\_afnor fr-bepo\_latin9 fr-bre fr-dvorak fr-geo fr-latin9 fr-latin9\_nodeadkeys fr-latin9\_sundeadkeys fr-mac fr-nodeadkeys fr-oci fr-oss fr-oss\_latin9 fr-oss\_nodeadkeys fr-oss\_sundeadkeys fr-sundeadkeys fr-us fr

Select variant []: fr-azerty

\* WARNING: you are stopping a boot service

\* Caching service dependencies ...

[ ok ]

\* Setting keymap ...

[ ok ]

## Configuration du hostname

Enter system hostname (short form, e.g. 'foo') [localhost]: alpine

## Configuration du réseaux

Comme je suis une grosse feignasse, je laisse en dhcp

Available interfaces are: eth0.

Enter '?' for help on bridges, bonding and vlans.

Which one do you want to initialize? (or '?' or 'done') [eth0] eth0

Ip address for eth0? (or 'dhcp', 'none', '?') dhcp

## Mot de passe root

Changing password for root

New password:

Retype password:

passwd: password for root changed by root

## Fuseau horaire

Which timezone are you in? ('?' for list) [UTC] Europe/Paris

## Choix du client NTP

Je laisse celui par défaut : **chrony**

HTTP/FTP proxy URL? (e.g. 'http://proxy:8080', or 'none') [none]

Which NTP client to run? ('busybox', 'openntpd', 'chrony' or 'none') [chrony]

\* service chronyd added to runlevel default

\* Caching service dependencies ...

[ ok ]

\* Starting chronyd ...

[ ok ]

## Choix du miroir d'installation

Available mirrors:

1) dl-cdn.alpinelinux.org

2) uk.alpinelinux.org

3) dl-2.alpinelinux.org

4) dl-4.alpinelinux.org

5) dl-5.alpinelinux.org

6) dl-8.alpinelinux.org

- 7) mirror.yandex.ru
- 8) mirrors.gigenet.com
- 9) mirror1.hs-esslingen.de
- 10) mirror.leaseweb.com
- 11) mirror.fit.cvut.cz
- 12) alpine.mirror.far.fi
- 13) alpine.mirror.wearetriple.com
- 14) mirror.clarkson.edu
- 15) linorg.usp.br
- 16) ftp.yzu.edu.tw
- 17) mirror.aarnet.edu.au
- 18) speglar.siminn.is
- 19) mirrors.dotsrc.org
- 20) ftp.halifax.rwth-aachen.de
- 21) mirrors.tuna.tsinghua.edu.cn
- 22) mirrors.ustc.edu.cn
- 23) mirrors.xjtu.edu.cn
- 24) mirrors.nju.edu.cn
- 25) mirror.lzu.edu.cn
- 26) ftp.acc.umu.se
- 27) mirror.xtom.com.hk
- 28) mirror.csclub.uwaterloo.ca
- 29) alpinelinux.mirror.iweb.com
- 30) mirror.neostrada.nl
- 31) pkg.adfinis-sygroup.ch
- 32) mirror.ps.kz
- 33) mirror.rise.ph
- 34) mirror.operationtulip.com
- 35) mirrors.ircam.fr
- 36) alpine.42.fr
- 37) mirror.math.princeton.edu
- 38) mirrors.sjtug.sjtu.edu.cn
- 39) alpine.mirror.didstopia.com
- 40) ftp.icm.edu.pl
- 41) mirror.ungleich.ch
- 42) alpine.mirror.vexxhost.ca
- 43) sjc.edge.kernel.org
- 44) ewr.edge.kernel.org
- 45) ams.edge.kernel.org
- 46) download.nus.edu.sg

- 47) [alpine.yourlabs.org](http://alpine.yourlabs.org)
- 48) [mirror.pit.teraswitch.com](http://mirror.pit.teraswitch.com)
- 49) [mirror.reenigne.net](http://mirror.reenigne.net)

- r) Add random from the above list
- f) Detect and add fastest mirror from above list
- e) Edit /etc/apk/repositories with text editor

Enter mirror number (1-49) or URL to add (or r/f/e/done) [1]: f

Je choisi le miroir le plus rapide via la commande : **f**

Enter mirror number (1-49) or URL to add (or r/f/e/done) [1]: f

Finding fastest mirror...

0.11 <http://dl-cdn.alpinelinux.org/alpine/>  
0.05 <http://uk.alpinelinux.org/alpine/>  
0.19 <http://dl-2.alpinelinux.org/alpine/>  
0.06 <http://dl-4.alpinelinux.org/alpine/>  
0.05 <http://dl-5.alpinelinux.org/alpine/>  
0.1 <http://dl-8.alpinelinux.org/alpine/>  
0.1 <http://mirror.yandex.ru/mirrors/alpine/>  
0.23 <http://mirrors.gigenet.com/alpinelinux/>  
0.06 <http://mirror1.hs-esslingen.de/pub/Mirrors/alpine/>  
0.07 <http://mirror.leaseweb.com/alpine/>  
0.08 <http://mirror.fit.cvut.cz/alpine/>  
0.11 <http://alpine.mirror.far.fi/>  
0.31 <http://alpine.mirror.wearetriple.com/>  
wget: server returned error: HTTP/1.1 404 Not Found  
0.48 <http://linorg.usp.br/AlpineLinux/>  
0.91 <http://ftp.yzu.edu.tw/Linux/alpine/>  
0.63 <http://mirror.aarnet.edu.au/pub/alpine>  
0.13 <http://speglar.siminn.is/alpine/>  
0.11 <http://mirrors.dotsrc.org/alpine/>  
0.08 <http://ftp.halifax.rwth-aachen.de/alpine/>  
0.59 <http://mirrors.tuna.tsinghua.edu.cn/alpine/>  
0.42 <http://mirrors.ustc.edu.cn/alpine/>  
wget: download timed out  
0.65 <http://mirrors.nju.edu.cn/alpine/>  
0.64 <http://mirror.lzu.edu.cn/alpine/>  
0.13 <http://ftp.acc.umu.se/mirror/alpinelinux.org/>

```
0.41 http://mirror.xtom.com.hk/alpine/
0.32 http://mirror.csclub.uwaterloo.ca/alpine/
0.2 http://alpinelinux.mirror.iweb.com/
0.06 http://mirror.neostrada.nl/alpine/
0.05 http://pkg.adfinis-sygroup.ch/alpine/
0.24 http://mirror.ps.kz/alpine/
0.46 http://mirror.rise.ph/alpine-linux/
0.11 http://mirror.operationtulip.com/alpine/
0.03 http://mirrors.ircam.fr/pub/alpine/
0.04 http://alpine.42.fr/
0.19 http://mirror.math.princeton.edu/pub/alpinelinux/
wget: download timed out
0.06 http://alpine.mirror.didstopia.com/
0.13 http://ftp.icm.edu.pl/pub/Linux/distributions/alpine/
0.46 http://mirror.ungleich.ch/mirror/packages/alpine/
0.19 http://alpine.mirror.vexxhost.ca/
0.31 http://sjc.edge.kernel.org/alpine/
0.18 http://ewr.edge.kernel.org/alpine/
0.06 http://ams.edge.kernel.org/alpine/
0.4 http://download.nus.edu.sg/mirror/alpine/
0.27 http://alpine.yourlabs.org
0.22 http://mirror.pit.teraswitch.com/alpine
0.21 http://mirror.reenigne.net/alpine/
Added mirror mirrors.ircam.fr
Updating repository indexes... done.
```

## Choix du serveur SSH

Je laisse par défaut avec OpenSSH

```
Which SSH server? ('openssh', 'dropbear' or 'none') [openssh]
```

## Choix du disque d'installation

Available disks are:

```
sda (21.5 GB VMware, VMware Virtual S)
```

Which disk(s) would you like to use? (or '?' for help or 'none') [none] sda

The following disk is selected:

```
sda (21.5 GB VMware, VMware Virtual S)
```

## Type d'installation pour Alpine Linux

La on ce trouve avec un choix important en fonction de l'usage que l'on veut en faire.

- sys : mode d'installation traditionnel sur disk avec /boot, / (filesystem root) et swap.
- data : seul seront les données stockées sur le disque, l'OS n'est pas installé car celui ci est lancé en mémoire.
- lvm : partition en lvm
- lvmsys : installation sys sur un volume en lvm
- lvmdata : installation data sur un volume en lvm

How would you like to use it? ('sys', 'data', 'lvm' or '?' for help) [?] ?

You can select between 'sys', 'data', 'lvm', 'lvmsys' or 'lvmdata'.

sys:

This mode is a traditional disk install. The following partitions will be created on the disk: /boot, / (filesystem root) and swap.

This mode may be used for development boxes, desktops, virtual servers, etc.

data:

This mode uses your disk(s) for data storage, not for the operating system.  
The system itself will run from tmpfs (RAM).

Use this mode if you only want to use the disk(s) for a mailspool, databases, logs, etc.

lvm:

Enable logical volume manager and ask again for 'sys' or 'data'.

lvmsys:

Same as 'sys' but use logical volume manager for partitioning.

lvmdata:

Same as 'data' but use logical volume manager for partitioning.

The following disk is selected:

sda (21.5 GB VMware, VMware Virtual S)

How would you like to use it? ('sys', 'data', 'lvm' or '?' for help) [?] sys

WARNING: The following disk(s) will be erased:

sda (21.5 GB VMware, VMware Virtual S)

WARNING: Erase the above disk(s) and continue? [y/N]: y

```
Creating file systems...
Installing system on /dev/sda3:
/mnt/boot is device /dev/sda1
100% #####==> initramfs: creating /boot/initramfs-lts
/boot is device /dev/sda1
```

## Fin de l'installation

L'installation est terminer, on reboot pour démarrer sur l'OS fraîchement installé.  
Comme vous avez pu le constater, l'Alpine Linux est très léger au vu du temps d'installation.

```
Installation is complete. Please reboot.
```

## Pour aller plus loin

Dans le cadre d'une installation automatisée, il est possible de créer un fichier de réponses pour ne pas avoir besoin d'interagir (et accessoirement aller boire un café :-) ) avec le programme d'installation.

Celui-ci peut-être créé à la main ou (plus simple) en ajoutant l'option **'-c** **<le\_nom\_de\_mon\_fichier\_de\_reponses\_a\_creer>** à la commande **setup-alpine**.

```
setup-alpine -c answers
```

Le programme va effectuer toutes les étapes vues plus haut sans pour autant installer le système. Il en résultera un fichier **answers** avec tout les paramètres indiqués.

L'installation automatisée se fait via **'-f** **<le\_nom\_de\_mon\_fichier\_de\_reponses\_precedemment\_cree>**', dans ce cas précis cela donne simplement:

```
setup-alpine -f answers
```

source : [https://wiki.alpinelinux.org/wiki/Alpine\\_setup\\_scripts#setup-alpine](https://wiki.alpinelinux.org/wiki/Alpine_setup_scripts#setup-alpine)



# Post configuration

## Modification du fichier repository

Le gestionnaire de paquet est apk et sa configuration s'effectue dans le fichier :  
**etc/apk/repositories**

```
#/media/cdrom/apks
http://mirrors.ircam.fr/pub/alpine/v3.12/main
#http://mirrors.ircam.fr/pub/alpine/v3.12/community
#http://mirrors.ircam.fr/pub/alpine/edge/main
#http://mirrors.ircam.fr/pub/alpine/edge/community
#http://mirrors.ircam.fr/pub/alpine/edge/testing
```

Décommentez la ligne : <http://mirrors.ircam.fr/pub/alpine/v3.12/community>

La version **edge** est la version en cours de développement.

Mise a jour de la liste des paquets

```
alpine:~# apk update
fetch http://mirrors.ircam.fr/pub/alpine/v3.12/main/x86_64/APKINDEX.tar.gz
fetch http://mirrors.ircam.fr/pub/alpine/v3.12/community/x86_64/APKINDEX.tar.gz
v3.12.0-45-g0e4d4e3558 [http://mirrors.ircam.fr/pub/alpine/v3.12/main]
v3.12.0-47-gda1c1b9ae4 [http://mirrors.ircam.fr/pub/alpine/v3.12/community]
OK: 12727 distinct packages available
```

## Les paquets utiles

Certaines commande ne sont pas installées comme par exemple useradd ou usermod ou setfacl.

Commandes	Paquet à installer	Repository
usermod & useradd	apk add shadow	community
setfacl	apk add acl	main

# VMware tools

Comme sur les autres distribution linux cela se fait via le paquet : open-vm-tools. Mais il y a une subtilité chez Alpine, il faut démarrer le service manuellement et l'inscrire pour le démarrage.

## Installation

```
alpine:~# apk add --update open-vm-tools
fetch http://mirrors.ircam.fr/pub/alpine/v3.12/main/x86_64/APKINDEX.tar.gz
fetch http://mirrors.ircam.fr/pub/alpine/v3.12/community/x86_64/APKINDEX.tar.gz
(1/10) Installing libgcc (9.3.0-r2)
(2/10) Installing libffi (3.3-r2)
(3/10) Installing libintl (0.20.2-r0)
(4/10) Installing libmount (2.35.2-r0)
(5/10) Installing pcre (8.44-r0)
(6/10) Installing glib (2.64.3-r0)
(7/10) Installing libtirpc-conf (1.2.6-r0)
(8/10) Installing libtirpc-nokrb (1.2.6-r0)
(9/10) Installing open-vm-tools (11.1.0-r3)
Executing open-vm-tools-11.1.0-r3.pre-install
(10/10) Installing open-vm-tools-openrc (11.1.0-r3)
Executing busybox-1.31.1-r16.trigger
OK: 830 MiB in 154 packages
```

## Lancement du service

```
alpine:~# rc-service open-vm-tools start
* Starting open-vm-tools ... [ ok ]
```

## Démarrage automatique au boot

```
alpine:~# rc-update add open-vm-tools
* service open-vm-tools added to runlevel default
```

# MariaDB

## Installation

```
apk add mariadb mariadb-common mariadb-client
```

## Initialisation

Il faut lancer la commande pour initialiser le service et créer la base SQL de départ.

```
alpine:~# rc-service mariadb setup
* Creating a new MySQL database ...
Installing MariaDB/MySQL system tables in '/var/lib/mysql' ...
OK
```

To start mysqld at boot time you have to copy  
support-files/mysql.server to the right place for your system

Two all-privilege accounts were created.

One is root@localhost, it has no password, but you need to  
be system 'root' user to connect. Use, for example, sudo mysql  
The second is mysql@localhost, it has no password either, but  
you need to be the system 'mysql' user to connect.

After connecting you can set the password, if you would need to be  
able to connect as any of these users with a password and without sudo

See the MariaDB Knowledgebase at <http://mariadb.com/kb> or the  
MySQL manual for more instructions.

You can start the MariaDB daemon with:

```
cd '/usr' ; /usr/bin/mysqld_safe --datadir='/var/lib/mysql'
```

You can test the MariaDB daemon with mysql-test-run.pl

```
cd '/usr/mysql-test' ; perl mysql-test-run.pl
```

Please report any problems at <http://mariadb.org/jira>

The latest information about MariaDB is available at <http://mariadb.org/>.

You can find additional information about the MySQL part at:

<http://dev.mysql.com>

Consider joining MariaDB's strong and vibrant community:

<https://mariadb.org/get-involved/>

[ ok ]

## Inscription du service au boot

```
alpine:~# rc-update add mariadb default
```

```
* service mariadb added to runlevel default
```

## Lancement du service

```
alpine:~# rc-service mariadb start
```

```
* Starting mariadb ...
```

```
200606 17:17:43 mysqld_safe Logging to syslog.
```

```
200606 17:17:43 mysqld_safe Starting mysqld daemon with databases from
```

```
/var/lib/mysql
```

[ ok ]

## Configuration

Il y a une petite subtilité, c'est **mariadb-secure-installation** même si *mysql\_secure\_installation* est toujours présent.

```
alpine:~# mariadb-secure-installation
```

```
NOTE: RUNNING ALL PARTS OF THIS SCRIPT IS RECOMMENDED FOR ALL MariaDB  
SERVERS IN PRODUCTION USE! PLEASE READ EACH STEP CAREFULLY!
```

In order to log into MariaDB to secure it, we'll need the current  
password for the root user. If you've just installed MariaDB, and  
haven't set the root password yet, you should just press enter here.

Enter current password for root (enter for none):

OK, successfully used password, moving on...

Setting the root password or using the unix\_socket ensures that nobody can log into the MariaDB root user without the proper authorisation.

You already have your root account protected, so you can safely answer 'n'.

Switch to unix\_socket authentication [Y/n] y

Enabled successfully!

Reloading privilege tables..

... Success!

You already have your root account protected, so you can safely answer 'n'.

Change the root password? [Y/n] y

New password:

Re-enter new password:

Password updated successfully!

Reloading privilege tables..

... Success!

By default, a MariaDB installation has an anonymous user, allowing anyone to log into MariaDB without having to have a user account created for them. This is intended only for testing, and to make the installation go a bit smoother. You should remove them before moving into a production environment.

Remove anonymous users? [Y/n] y

... Success!

Normally, root should only be allowed to connect from 'localhost'. This ensures that someone cannot guess at the root password from the network.

Disallow root login remotely? [Y/n] y

... Success!

By default, MariaDB comes with a database named 'test' that anyone can access. This is also intended only for testing, and should be removed before moving into a production environment.

Remove test database and access to it? [Y/n] y

- Dropping test database...

... Success!

- Removing privileges on test database...

... Success!

Reloading the privilege tables will ensure that all changes made so far will take effect immediately.

Reload privilege tables now? [Y/n] y

... Success!

Cleaning up...

All done! If you've completed all of the above steps, your MariaDB installation should now be secure.

Thanks for using MariaDB!